

South Dakota Annual HIV/AIDS Surveillance Report January 2005

Four hundred and sixty two cumulative cases of HIV/AIDS were reported to the South Dakota Department of Health from 1985 through December 2004. Nineteen new HIV/AIDS cases were reported from January 1, 2004 through December 31, 2004. Thirteen of these cases were male and 6 cases were female.

There are an estimated 261 people living with HIV/AIDS in




South Dakota, 74% male and 26% female. Blacks and Native Americans are disproportionately affected by HIV/AIDS with Blacks comprising 15% of the cases and Native Americans 14%, compared to their comprising <1% and 8% of the population, respectively.



South Dakota has among the lowest incidence of AIDS cases in the United States. In 2003 the South Dakota incidence rate was 1.7 cases per 100,000. The rate for the United States was 15.2 cases per 100,000.




South Dakota HIV/AIDS Cumulative Statistics, 1	985 - 2004
,	
Residents reported infected with HIV since 1985Residents currently living with HIV/AIDS	26
Male residents currently living with HIV/AIDS	19
Female residents currently living with HIV/AIDS	6
Residents reported who have been diagnosed with AIDS	27
Residents infected with HIV who have died (of all causes)	14
Residents who have been diagnosed with AIDS and have died	
South Dakota AIDS Fatality Rate	47%
Out-of-state AIDS cases who have died in South Dakota	5
United States Cumulative AIDS Statistics through D	December 2003
AIDS Cases Reported in the United States	902,223
AIDS Deaths Reported in the United States	
AIDS Fatality Rate in the United States	




At the end of 2004, 462 SD residents had been reported as infected with HIV (370 male, 92 female) and 274 of those had also been diagnosed with AIDS. Some cases may have been reported as an HIV case in a different year than they were diagnosed with AIDS.

HIV/AID	HIV/AIDS cases reported by race/ethnicity, sex, and age, SD, 1985-2004										
Age at	W	hite	Native A	Native American		erican Black		c & other	All grou		
diagnosis	Male	Female	Male	Female	Male	Female	Male	Female	М	F	Total
Under 5 yrs	2	1	1	2	0	0	1	0	4	3	7
5-12 yrs	3	0	1	0	0	0	0	0	4	0	4
13-19 yrs	10	2	0	2	2	0	1	1	13	5	18
20-29 yrs	77	21	14	7	10	6	7	1	108	35	143
30-39 yrs	118	14	19	9	15	6	3	0	155	29	184
40-49 yrs	45	9	8	2	3	1	1	0	57	12	69
50-59 yrs	14	4	4	0	1	2	1	2	20	8	28
≥60 yrs	8	0	1	0	0	0	0	0	9	0	9
Sub- Total	277	51	48	22	31	15	14	4	370	92	462
Total	3	28		70	4	16		18	462		402



- *MSM (men who have sex with men)
- *IDU (injection drug user)
- **South Dakota HIV/AIDS cases 1985-2004
- ***US AIDS cases through 2003

Sometimes 2 or more exposures are reported for one case. This table is consistent with the CDC hierarchy of exposures.




South Dakotans living with HIV/AIDS (n=261)

GENDER	Cases	Percent
Male	194	74%
Female	67	26%
Total	261	100%

RACE	Cases	Percent
White	174	67%
Native American	37	14%
Black	39	15%
Hispanic & Other	11	4%
Total	261	100%

AGE	Cases	Percent
0-12 years	1	1%
13-19 years	3	1%
20-29 years	32	12%
30-39 years	73	28%
40-49 years	104	40%
50+ years	48	18%
Total	261	100%

RISK	Cases	Percent
MSM	102	39%
Injection drug use	44	18%
MSM and IDU	9	3%
Heterosexual	55	21%
Transfusion	2	1%
Hemophilia	10	3%
Mother HIV+	2	1%
No risk identified	37	14%
Total	261	100%



South Dakota Residents Reported with Associated Diseases, 1994- 2004												
Diseases	Year	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
HIV/AIDS		24	35	24	25	17	27	22	22	21	25	19
Chlamydia trachomatis infections		1432	1317	1538	1439	1573	1554	1835	1821	2214	2606	2537
Gonorrhea		245	244	176	172	221	192	277	289	263	226	305
Herpes, genital and neonatal		110	102	102	94	142	275	339	345	310	299	322
Syphilis, Primary and Secondary		2	0	0	1	1	0	0	1	0	2	0
Chancroid		0	0	0	0	0	0	0	0	0	0	0
Hepatitis B		4	2	5	1	4	1	2	0	3	3	0

Department of Health Confidential HIV Testing Centers

For testing and counseling for HIV/AIDS and other sexually transmitted diseases, contact one of the following sites or call **1-800-592-1861**.

Aberdeen

402 S. Main St. Aberdeen, SD 57401-4127 605-626-2373 1-866-805-1007 toll-free

Rapid City

909 E. St. Patrick, Suite 7 Rapid City, SD 57701 605-394-2289 1-866-474-8221 toll free

Watertown

913 5th St. SE Watertown, SD 57201-5134 605-882-5096 1-866-817-4090 toll free

Sioux Falls

1200 N. West Ave. Sioux Falls, SD 57104 605-367-5365 1-866-315-9214 toll free

Pierre

302 E Dakota Pierre, SD 57501-3133 605-773-5348 1-866-229-4927 toll free

Dupree

Ziebach County Court House Dupree, SD 57623-0068 605-365-5164

> National AIDS Hotline 1-800-342-2437

Sexually transmitted diseases (STDs) and bloodborne diseases are a reliable indicator of high-risk behavior (i.e., unprotected sexual intercourse) within populations and may increase the infectiousness of HIV.

AIDS has been a reportable disease in the U.S. and South Dakota since 1985. HIV infection without an AIDS diagnosis has been reportable in South Dakota since 1988. The tables and graphs provide information concerning South Dakota residents reported with HIV infection (non-AIDS) and AIDS.

The SD HIV/AIDS Surveillance Report is published annually. Data contained in this report are provisional. Percentages may not equal 100% due to rounding.

Questions regarding the surveillance report may be directed to Christine Olson (1-800-592-1861 or 605-773-3737). This report is available on the SD Department of Health website at www.state.sd.us/doh/disease/stats.htm or write to HIV Surveillance, 615 East 4th Street, Pierre, SD 57501. For HIV/AIDS information 24 hours a day call 1-800-342-2437 or see www.cdc.gov/nchstp/hiv_aids/dhap.htm.

South Dakota Department of Health HIV/AIDS website: www.state.sd.us/doh/Pubs/HIVhow.htm

Centers for Disease Control and Prevention HIV/AIDS website: www.cdc.gov/hiv/dhap.htm